

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28	"707"/\$.ccls. AND ((search\$3 quer\$4) NEAR4 (heterogeneous\$2) NEAR4 databases)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:09
L2	22	("707"/\$.ccls. AND ((search\$3 quer\$4) NEAR4 (heterogeneous\$2) NEAR4 databases)) AND (((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:34
S1	745515	hitachi.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 13:50
S2	229	hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 13:34
S3	7	(hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1)) AND (merg\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 13:26
S4	0	morgernstein.in. AND (common NEAR2 format\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:05
S5	0	morgernstein.in. AND SGML	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:05
S6	0	morgernstern.in. AND SGML	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:06
S7	3	morgenster.in. AND SGML	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:06
S8	4	(hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1)) AND (topic NEAR2 (word\$1 keyword\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 12:44
S9	1	"5987460".pn. AND associative	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 12:44
S10	5	hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1) AND (associative NEAR4 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 13:06
S11	849	(associative NEAR4 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 13:06

12/20/07 2007

S12	118	((associative NEAR4 (search\$3 quer\$4))) AND "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 13:06
S13	55	((associative NEAR4 (search\$3 quer\$4))) AND "707"/\$.ccls.) AND ((keyword\$1 word\$1 term\$1) NEAR4 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 13:07
S14	1	"6457004".URPN.	USPAT	OR	OFF	2003/09/29 13:09
S15	26	("4734848" "4992972" "5257186" "5331554" "5544352" "5598557" "5606690" "5713016" "5732260" "5754938" "5754939" "5794178" "5798752" "5832494" "5838965" "5845278" "5893087" "5911138" "5933822" "5933827" "5963205" "5987460" "6012053" "6029195" "6175830" "6182065").PN	USPAT	OR	OFF	2003/09/29 13:10
S16	31	"5845278".URPN.	USPAT	OR	OFF	2003/09/29 13:20
S17	6	hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1) AND associative	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 13:35
S18	6	(hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1) AND associative) AND database\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:08
S19	11433	"707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:09
S20	7	"707"/\$.ccls. AND ((associative NEAR2 (search\$3 quer\$4)) NEAR6 document\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:11
S21	339	((similar\$5 NEAR4 document\$1) NEAR6 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:15
S22	153	((similar\$5 NEAR4 document\$1) NEAR6 (search\$3 quer\$4))) AND "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:11
S23	145	((similar\$5 NEAR4 document\$1) NEAR6 (search\$3 quer\$4))) AND "707"/\$.ccls.) AND ((search\$3 quer\$4) NEAR4 (keyword\$1 word\$1 term\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:15
S24	416	((similar\$5 vector\$1) NEAR4 document\$1) NEAR6 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:15

S25	282	(((((similar\$5 vector\$1) NEAR4 document\$1) NEAR6 (search\$3 quer\$4))) AND ((search\$3 quer\$4) NEAR4 (keyword\$1 word\$1 term\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:15
S26	13	(((((similar\$5 vector\$1) NEAR4 document\$1) NEAR6 (search\$3 quer\$4))) AND ((search\$3 quer\$4) NEAR4 (keyword\$1 word\$1 term\$1))) AND ((select\$4 choos\$3) NEAR4 databases)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:16
S27	10	document\$1 NEAR4 as NEAR4 query	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:24
S28	2589	(subsequent NEAR4 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:27
S29	73	(subsequent NEAR4 (search\$3 quer\$4)) NEAR8 document\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:27
S30	48	((subsequent NEAR4 (search\$3 quer\$4)) NEAR8 document\$1) AND "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:27
S31	50	document\$1 NEAR4 as NEAR4 (quer\$4 search\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:37
S32	1	document\$1 ADJ4 as ADJ4 (quer\$4 search\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:38
S33	51	(document\$1 NEAR4 (subsequent NEAR4 (search\$3 quer\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:03
S34	153	(result\$1 NEAR4 (subsequent NEAR4 (quer\$4 search\$3)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:04
S35	4	(document\$1 NEAR6 result\$1 NEAR4 (subsequent NEAR4 (quer\$4 search\$3)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:09
S36	2	(similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4) NEAR4 subsequent	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:10
S37	307	(similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:10

S38	63	((similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4)) AND (document\$1 NEAR2 vector\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:11
S39	46	((similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4)) AND (document\$1 NEAR2 vector\$1)) AND "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:12
S40	397	(refine NEAR4 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:13
S41	74	((refine NEAR4 (search\$3 quer\$4))) AND (subsequent NEAR4 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:13
S42	3	((refine NEAR4 (search\$3 quer\$4))) AND (subsequent NEAR4 (search\$3 quer\$4)) AND (document\$1 NEAR2 vector\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:16
S43	0	(document\$1 ADJ6 as) ADJ6 quer\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:19
S44	171	document\$1 WITH as WITH quer\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:20
S45	140	(document\$1 WITH as WITH quer\$4) AND "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:19
S46	5	(document\$1 ADJ6 as) WITH quer\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:21
S47	12	document\$1 NEAR4 as NEAR4 quer\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:25
S48	42	document\$1 NEAR6 as NEAR6 quer\$4	USPAT	OR	OFF	2003/09/29 18:29
S49	2	"6457004".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 14:54
S50	1	"6457004".pn. AND content\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 15:20
S51	0	"6457004".pn. AND boolean	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 16:33

S52	1	"6457004".pn. AND summar\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 16:33
S53	4	"5987460".pn. "6457004".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 17:17
S54	16	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8) NEAR4 (quer\$4 search\$3)) NEAR8 syntactic\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:09
S55	12648	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:24
S56	1644	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3))) AND (select\$3 NEAR4 database\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:10
S57	960	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3))) AND (select\$3 NEAR4 database\$1)) AND "707"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:10
S58	60	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3))) AND (select\$3 NEAR4 database\$1)) AND "707"/\$. ccls.) AND ((search\$3 quer\$4) NEAR4 (multiple pluralit\$4) NEAR4 databases)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:16
S59	28	"707"/\$.ccls. AND ((search\$3 quer\$4) NEAR4 (heterogeneous\$2) NEAR4 databases)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:08
S60	22	("707"/\$.ccls. AND ((search\$3 quer\$4) NEAR4 (heterogeneous\$2) NEAR4 databases)) AND (((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:34
S61	150	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) NEAR8 boolean	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:24
S62	132	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3 semantic\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:21

S63	16	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) NEAR8 boolean) AND (((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3 semantic\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:27
S64	2	(database\$1 NEAR8 (accept\$3 process\$3 execut\$3) NEAR4 only NEAR4 boolean)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:12
S65	0	(engine\$1 NEAR8 (accept\$3 process\$3 execut\$3) NEAR4 only NEAR4 boolean)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:12
S66	0	(server\$1 NEAR8 (accept\$3 process\$3 execut\$3) NEAR4 only NEAR4 boolean)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:12
S67	9	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3 semantic\$4) NEAR10 (engine\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:42
S68	12	"5982370".uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:41
S69	0	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3 semantic\$4)) AND "5982370".uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:43
S70	0	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR8 (syntactical\$2 syntax\$3 semantic\$4)) AND "5982370".uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:42
S71	0	((quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3 semantic\$4)) AND "5982370".uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:43
S72	103	(quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3 semantic\$4) NEAR8 (engine\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:44
S73	77	((quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3 semantic\$4) NEAR8 (engine\$1)) AND "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:43
S74	27	((quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3 semantic\$4) NEAR8 (engine\$1)) NEAR8 (user\$1 human\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:02

S75	39	((modif\$8 edit\$4 chang\$3) NEAR4 (boolean NEAR2 expression\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:05
S76	4	((confirm\$4) NEAR4 (boolean NEAR2 expression\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:07
S77	63	(search ADJ1 engine\$1) NEAR8 (syntactical\$2 syntax\$3 semantic\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 17:39
S78	1	"5987460".pn. AND summar\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/18 14:53
S79	2	"5826261".pn. AND quer\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/18 14:53

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6457004".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 18:46
L2	2	"5987460".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:00
L3	2826	(distributed or federated or subsequent or seconda\$3) with (search\$3 or quer\$3 or input) and databases and (combin\$3 or sum\$4 or total or both or collected) with result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 18:59
L4	162	(distributed or federated or subsequent or seconda\$3) with (search\$3 or quer\$3 or input) with second with database and (combin\$3 or sum\$4 or total or both or collected) with result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:14
L5	2	"6457004".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:40
L6	2	"6004949".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:02
L7	2	"6745183".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:02
L8	432	(distributed or federated or subsequent or seconda\$3) with (search\$3 or quer\$3 or input) same (different or second or "other" or menu) with database and (combin\$3 or sum\$4 or total or both or collected) with result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:22

EAST Search History

L9	269	(federated or subsequent or second\$3) with (search\$3 or quer\$3 or input) same (different or second or "other" or menu) with database and (combin\$3 or sum\$4 or total or both or collected) with result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:23
L10	259	(federated or subsequent or refin\$3) with (search\$3 or quer\$3 or input) same (different or second or "other") with database and (combin\$3 or sum\$4 or total or both or collected) with result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:26
L11	19	(federated or subsequent or refin\$3) with (search\$3 or quer\$3 or input) same (different or second\$3 or "other") with databases and (combin\$3 or sum\$4 or total or both or collected) with result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 19:31
L12	19	(federated or subsequent or refin\$3) with (search\$3 or quer\$3 or input) same (different or second\$3 or "other") with databases and (combin\$3 or sum\$4 or total or both or collected) with result and (weight\$4 or scor\$3 or rank\$3 or rat\$3 with word or topic or keyword or summary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 19:33
L13	0	(federated or subsequent or refin\$3) with (search\$3 or quer\$3 or input) same (different or second\$3 or "other") with databases same (weight\$4 or scor\$3 or rank\$3 or rat\$3 or relevan\$3 or importan\$3) with (word or topic or keyword or summary) and (combin\$3 or sum\$4 or total or both or collected) with result and (weight\$4 or scor\$3 or rank\$3 or rat\$3 or relevan\$3 or importan\$3) with (word or topic or keyword or summary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 19:38

EAST Search History

L14	0	(federated or subsequent or refin\$3) with (search\$3 or quer\$3 or input) same (different or second\$3 or "other") with databases same (weight\$4 or scor\$3 or rank\$3 or rat\$3 or relevan\$3 or importan\$3) with (word or topic or keyword or summary) and (combin\$3 or sum\$4 or total or both or collected) with result and (weight\$4 or scor\$3 or rank\$3 or rat\$3 or relevan\$3 or importan\$3) with (word or topic or keyword or summary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:38
L15	0	(federated or subsequent or refin\$3) with (search\$3 or quer\$3 or input) same (different or second\$3 or "other") with database same (weight\$4 or scor\$3 or rank\$3 or rat\$3 or relevan\$3 or importan\$3) with (word or topic or keyword or summary) and (combin\$3 or sum\$4 or total or both or collected) with result and (weight\$4 or scor\$3 or rank\$3 or rat\$3 or relevan\$3 or importan\$3) with (word or topic or keyword or summary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:38
L16	2	"6745183".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:53
L17	1	"6745183".pn. and select\$4 with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:40
L18	0	"6745183".pn. and databases	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 19:40
L19	1	"6457004".pn. and databases	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:44

EAST Search History

L20	1551614	refin\$3 or expand\$3 or subsequent with (quer\$3 or search\$3) with database with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3) with (summary or topic or keyword or weight\$3 or relevance or importance or concept or term) and result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:46
L21	75	(refin\$3 or expand\$3 or subsequent\$3) with (quer\$3 or search\$3) with database with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3) with (summary or topic or keyword or weight\$3 or relevance or importance or concept or term) and result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 19:46
L22	33	(refin\$3 or expand\$3 or subsequent\$3) with (quer\$3 or search\$3) with database with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3) with (summary or topic or keyword or weight\$3 or relevance or importance or concept or term) and result with ("both" or combin\$4 or merg\$3 or sum\$4 or add\$3 or total\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 20:10
L23	8	liddy.in. and databases	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 19:53
L24	8	(refin\$3 or expand\$3 or subsequent\$3) with (quer\$3 or search\$3) with database with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3) with (summary or topic or keyword or weight\$3 or relevance or importance or concept or term) with result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 20:14

EAST Search History

L25	85	(refin\$3 or expand\$3 or subsequent\$3) with (quer\$3 or search\$3) with database with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3) with (summary or topic or keyword or weight\$3 or relevance or importance or concept or term)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 20:14
L26	64	(refin\$3 or expand\$3 or subsequent\$3) with (quer\$3 or search\$3) with database with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3) with (summary or topic or keyword or weight\$3 or relevance or importance or concept or term) and (summary or topic or keyword or weight\$3 or relevance or importance or concept or term) with (search\$3 or quer\$3) with (extract\$4 or creat\$4 or resut\$3 or generat\$5 or form\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 20:20
L27	66	(refin\$3 or expand\$3 or subsequent\$3) with (quer\$3 or search\$3) with database with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3) with (summary or topic or keyword or weight\$3 or relevance or importance or concept or term or scoring or ranking or score) and (summary or topic or keyword or weight\$3 or relevance or importance or concept or term) with (search\$3 or quer\$3) with (extract\$4 or creat\$4 or resut\$3 or generat\$5 or form\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 20:20

EAST Search History

L28	50	(refin\$3 or expand\$3 or subsequent\$3) with (quer\$3 or search\$3) with database with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3) with (topic or keyword or weight\$3 or relevance or importance or concept or term or scoring or ranking or score) and (summary or topic or keyword or weight\$3 or relevance or importance or concept or term) with (search\$3 or quer\$3) with (extract\$4 or creat\$4 or resut\$3 or generat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 20:21
L29	49	(refin\$3 or expand\$3 or subsequent\$3) with (quer\$3 or search\$3) with database with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3) with (topic or keyword or weight\$3 or relevance or importance or concept or term or scoring or ranking or score) and (topic or keyword or weight\$3 or relevance or importance or concept or term) with (search\$3 or quer\$3) with (extract\$4 or creat\$4 or resut\$3 or generat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 20:29
L30	21	(refin\$3 or expand\$3 or subsequent\$3) with (quer\$3 or search\$3) with databases with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3) and (topic or keyword or weight\$3 or relevance or importance or concept or term or scoring or ranking or score) and (topic or keyword or weight\$3 or relevance or importance or concept or term) with (search\$3 or quer\$3) with (extract\$4 or creat\$4 or resut\$3 or generat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 20:31

EAST Search History

L31	31	(refin\$3 or expand\$3 or subsequent\$3) with (quer\$3 or search\$3) with databases with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3 or several or few or selection or pluarity or many or related or serial or "ordered") and (topic or keyword or weight\$3 or relevance or importance or concept or term or scoring or ranking or score) and (topic or keyword or weight\$3 or relevance or importance or concept or term) with (search\$3 or quer\$3) with (extract\$4 or creat\$4 or resut\$3 or generat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:07
L32	116	(refin\$3 or expand\$3 or subsequent\$3) with (quer\$3 or search\$3) with database with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3 or several or few or selection or pluarity or many or related or serial or "ordered") and (topic or keyword or weight\$3 or relevance or importance or concept or term or scoring or ranking or score) and (topic or keyword or weight\$3 or relevance or importance or concept or term) with (search\$3 or quer\$3) with (extract\$4 or creat\$4 or resut\$3 or generat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:09
L33	99	(refin\$3 or expand\$3 or subsequent\$3) with (quer\$3 or search\$3) with database with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3 or several or few or selection or pluarity or many or related or serial or "ordered") and (topic or keyword or weight\$3 or relevance or importance or concept or term or scoring or ranking or score) and (topic or keyword or weight\$3 or relevance or importance or concept or term) with (search\$3 or quer\$3) with (extract\$4 or creat\$4 or resut\$3 or generat\$5) and databases	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:10

EAST Search History

L34	71	(refin\$3 or expand\$3) with (quer\$3 or search\$3) with database with (multi\$3 or different or "second" or "other" or relat\$3 or federated or "remot\$3" or second\$3 or several or few or selection or pluarity or many or related or serial or "ordered") and (topic or keyword or weight\$3 or relevance or importance or concept or term or scoring or ranking or score) and (topic or keyword or weight\$3 or relevance or importance or concept or term) with (search\$3 or quer\$3) with (extract\$4 or creat\$4 or resut\$3 or generat\$5) and databases	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:14
L35	52	(refin\$3 or expand\$3) with (quer\$3 or search\$3) with database with (topic or keyword or weight\$3 or relevance or importance or concept or term) with (search\$3 or quer\$3) with (extract\$4 or creat\$4 or resut\$3 or generat\$5) and databases	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 21:19
L36	22	(refin\$3 or expand\$3) with (quer\$3 or search\$3) with database with (topic or keyword or weight\$3 or relevance or importance or concept or term) with (search\$3 or quer\$3) with (extract\$4 or creat\$4 or resut\$3 or generat\$5) and databases	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:19
L37	9	(refin\$3 or expand\$3) with (quer\$3 or search\$3) with database with (topic or keyword or weight\$3 or relevance or importance or concept or term) with (rank\$3 or list or summary or table) with (extract\$4 or creat\$4 or resut\$3 or generat\$5) and databases	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:21
L38	17	(refin\$3 or expand\$3) with (quer\$3 or search\$3) with database with (topic or keyword or weight\$3 or relevance or importance or concept or term) with (rank\$3 or list or summary or table) with (extract\$4 or creat\$4 or resut\$3 or generat\$5) and databases	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 21:21

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L39	13	(refin\$3 or expand\$3) with (quer\$3 or search\$3) with database with (topic or keyword or concept or term) with (rank\$3 or list or summary or table or weight\$3 or relevance or importance) with (extract\$4 or creat\$4 or resut\$3 or generat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 21:22
L40	17	(refin\$3 or expand\$3) with (quer\$3 or search\$3) with database with (topic or keyword or concept or term) with (rank\$3 or list or summary or table or weight\$3 or relevance or importance) with (extract\$4 or creat\$4 or result\$3 or generat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 21:23
L41	18	(refin\$3 or expand\$3) with (quer\$3 or search\$3) with database with (rank\$3 or list or summary or table or weight\$3 or relevance or importance) same (extract\$4 or creat\$4 or result\$3 or generat\$5) with (quer\$3 or search\$3) with (topic or keyword or concept or term)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 21:25
L42	400	(refin\$3 or expand\$3) with (quer\$3 or search\$3) and database with (rank\$3 or list or summary or table or weight\$3 or relevance or importance) same (extract\$4 or creat\$4 or result\$3 or generat\$5) with (quer\$3 or search\$3) with (topic or keyword or concept or term)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 21:25
L43	27	(refin\$3 or expand\$3) with (quer\$3 or search\$3) and databases with (rank\$3 or list or summary or table or weight\$3 or relevance or importance) same (extract\$4 or creat\$4 or result\$3 or generat\$5) with (quer\$3 or search\$3) with (topic or keyword or concept or term)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:30
L44	2	"5642502".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:30

EAST Search History

L45	2	"5911138".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:31
L46	0	query with refin\$4 with "different databases"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:31
L47	0	query with refin\$4 with "different databases"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 21:31
L48	0	query with refin\$4 with ("different databases")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 21:32
L49	0	query with refin\$4 with ("many databases")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 21:32
L50	0	query with refin\$4 with ("other database")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 21:32
L51	256	query with refin\$4 with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 21:32
L52	18	query with refin\$4 with databases	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:34

EAST Search History

L53	27	(search\$4 or quer\$3) with (multiple or multi or many or second or pluraity or various or more) with databases with weight\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:39
L54	70	(search\$4 or quer\$3) with (multiple or multi or many or second or pluraity or various or more) with databases with keyword	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:40
L55	8	(search\$4 or quer\$3) with (multiple or multi or many or second or pluraity or various or more) with databases with keyword and (weight\$3 or rank\$4 or score or rating or feedback) with word	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 21:41
L56	152	(search\$4 or quer\$3) with (multiple or multi or many or second or pluraity or various or more) with databases with keyword and (weight\$3 or rank\$4 or score or rating or feedback) with word	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 21:42
L57	45	(search\$4 or quer\$3) with (multiple or multi or many or second or pluraity or various or more) with databases with (weight\$3 or rank\$4 or score or rating or feedback) with word	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/28 21:42